E-Mail: office@globex-group.de • Internet: www.globex-group.de




Sechskantschrauben

mit Flansch

hexagon flange bolts





<i>1A/ 1A/ 1A</i>			REV		MR						
d	M 6	M 8	M 10	M 12	M 14	M 16					
b	18	22	26	30	34	38					
K max.	6,6	8,1	9,2	11,5	12,8	14,4	-10	BE	W.	- 11	БП
S	10	13	15	16	18	21	JLC	ЉE	X-		ВΠ
dc max.	14,2	18	22,3	26,6	30,5	35					
Steigung	11	1,25	1,5	1,75	2	2					
Länge L	.G	LOE	3 E X	- G	MB	H.D	E				
20	LG	LG	LG	LG							
25	LG	LG	LG	LG _							
30	LG	LG	LG	LG	LG	WV.C	3 LC) BE	X-(BH
35	LG	LG	LG	LG	LG						
40	LG	LG	LG	LG	LG	LG					
45	LG	LG	LG	LG	LG	LG_					
50	LG	LG	LG	LG	LG	LG) E				
55	LG	LG	LG	LG	LG	LG					
60	LG	LG	LG	LG	LG	LG					
65	LG	LG	LG	LG	LG	LG					
70	LG	LG	LG	LG	LG	LG		BE	X	EW	RH
80	LG	LG	LG	LG	LG	LG					
90	LG	LG	LG	LG	LG	LG					
100	LG	LG	LG	LG	LG	LG					
120	LG	LG	LG	LG	LG	LG	NE				

LG - Lagerartikel - Preise auf Anfrage

Werkstoff: 8.8 - gelb-verzinkt, auch in Güte 10.9 aus Vorrat oder kurzfristig lieferbar

Punktklasse: A